ELSEVIER

Wear 208 (1997) 243

WEAR

Author Index of Volume 208

Adams, D., 138
Ai, C.-F., 147
Armstrong, D.R., 138
Aw, P.K., 226

Bacci, T., 105
Baran, G., 237
Batchelor, A.W., 226
Bulatov, V.P., 132

Cao, L., 57
Chang, T.P., 204
Chen, K.C., 36
Cherif, K., 161
Chiou, Y.-C., 42

De Baets, P., 50, 169

Eyre, T., 1

Ferrari, E.S., 138

Ghasripoor, F., 1
Glodež, S., 177
Gueroult, B., 161
Guu, Y.Y., 147

Hao, C.S., 61
He, J.L., 36
He, L., 17
Hill, D.J.T., 155

Jain, V.K., 11
Jayaraman, S., 237
Jianhua, Z., 220
Jianxin, D., 220
Jun, Z., 220

Kaleli, H., 1
Keer, L.M., 204
Killeen, M.I., 155
Krasny, V.A., 132
Kuo, W.-F., 42

Lau, W.S., 73
Lee, R.-T., 42
Lee, T.C., 73
Lin, J.F., 147
Lin, Y.H., 36
Lo Casto, S., 67
Loh, N.L., 226
Lo Valvo, E., 67
Lucchini, E., 67
Luo, S.Y., 81
Luxmoore, A.R., 184

Mann, B.S., 125
Markov, D., 91
Maschio, S., 67
Mills, B., 61
Molinari, A., 105

Odabaş, D., 25
O'Donnell, J.H., 155
Olofsson, U., 194

Polonsky, I.A., 204
Pomery, P.J., 155

Qi, H.S., 61

Rigaud, M., 161
Roberts, K.J., 138
Ruisi, V.F., 67

Sadeghipour, K., 237
Schneider, Y.G., 132
Shen, Q., 73
Shukla, D.S., 11
Sproul, W.D., 204
St John, D., 155
Straffelini, G., 105
Strijckmans, K., 169
Stüwe, H.P., 177
Su, Ş., 25

Tesi, B., 105

Van De Velde, F., 50
Van Peteghem, A.P., 50, 169

Wan, Y., 57
Whittaker, A.K., 155
Winter, H., 177
Wistuba, H., 113, 118

Xing, A., 220
Xu, K., 184
Xue, Q., 57

Zhu, J., 17

Elsevier Science S.A.

ELSEVIER

Wear 208 (1997) 245–247

WEAR

Subject Index of Volume 208

Abrasion
boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behaviour, 125
Abrasive wear
a comparison of the reciprocating and continuous two-body abrasive wear behavior of solution-treated and age-hardened 2014 Al alloy, 25
Adherent layers
formation of an adherent layer on a cutting tool studied by micro-machining and finite element analysis, 61
Aluminum
boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 57
Anti-corrosion/wear additive
an investigation into the molecular stability of zinc di-alkyl-di-thio-phosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 138
Antiseize behaviour
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11
Antiwear additives
boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 57

Boronizing
boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behaviour, 125
Boundary lubrication
boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 57
characterisation of wear in boundary lubricated spherical roller thrust bearings, 194
Brittle materials
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237

Cathodic arc
correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 147
Cathodic arc plasma deposition
wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 36
Cavitation-erosion
boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behaviour, 125
Ceramic
wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 67
Cl-containing additives
boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 57

Computer vision
an integrated system for automatic wear particle analysis, 184
Contact problems
a fracture mechanics model for the wear of gear flanks by pitting, 177
Crack propagation criterion
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237
Cutting temperature
wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 73
Cutting tool
formation of an adherent layer on a cutting tool studied by micro-machining and finite element analysis, 61

Debris life cycle
Al_2O_3–ZrO_2 debris life cycle during wear: effects of the third body on wear and friction, 161
Delamination
dry sliding wear mechanisms of the Ti6Al4V alloy, 105
Double electric layer
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
a phenomenon of triboelectrization in aluminium oxide–polytetra-fluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Dry sliding
dry sliding wear mechanisms of the Ti6Al4V alloy, 105

Electric charge generated
a phenomenon of triboelectrization in aluminium oxide–polytetra-fluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Electric field polarity
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
Electrification
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
EP activity
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11
Experiments
a fracture mechanics model for the wear of gear flanks by pitting, 177
Expert system
an integrated system for automatic wear particle analysis, 184
External homogeneous electric field
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113

Fatty materials
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11

Elsevier Science S.A.

Finite element analysis
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237
Flank wear
wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 73
Fractal parameter
the fractal character of processed metal surfaces, 17
Fracture mechanics
a fracture mechanics model for the wear of gear flanks by pitting, 177
Fretting
characterisation of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 169
Fretting resistance
basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 132
Fretting wear
a mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 50
Friction
Al_2O_3–ZrO_2 debris life cycle during wear: effects of the third body on wear and friction, 161
failure mechanisms of plasma nitrided Inconel 718 film, 226
Friction force
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
a phenomenon of triboelectrization in aluminium oxide–polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Friction pair
basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 132

Galling
laboratory tests for seizure of rail and wheel steels, 91
Gears
a fracture mechanics model for the wear of gear flanks by pitting, 177

Hardness
laboratory wear testing of polyurethane elastomers, 155
Hydromachinery
boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behaviour, 125

Image analysis
an integrated system for automatic wear particle analysis, 184
Inconel 718
failure mechanisms of plasma nitrided Inconel 718 film, 226

Layered media
an analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 204
Low speed
wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 67
Lubricant additives
effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, 1

Machining
formation of an adherent layer on a cutting tool studied by micromachining and finite element analysis, 61
Mechanical properties
wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 36
failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 220
Microstructure
failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 220
Mixed mode loading
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237
Molecular modelling
an investigation into the molecular stability of zinc di-alkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 138

Neural networks
an integrated system for automatic wear particle analysis, 184
Numerical methods
a fracture mechanics model for the wear of gear flanks by pitting, 177

On-line ferrographic analyzer
fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, 42
Oxidative wear
dry sliding wear mechanisms of the Ti6Al4V alloy, 105

Pitting
a fracture mechanics model for the wear of gear flanks by pitting, 177
Plasma nitriding
failure mechanisms of plasma nitrided Inconel 718 film, 226
Polar lubricants
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
a phenomenon of triboelectrization in aluminium oxide–polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Polyurethanes
laboratory wear testing of polyurethane elastomers, 155
Protective coatings
an analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 204
Punching
studies on the wear conditions and the sheared edges in punching, 81

Quantum chemistry
an investigation into the molecular stability of zinc di-alkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 138

Rail
laboratory tests for seizure of rail and wheel steels, 91
Regular roughness
basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 132
Rolling contact fatigue
an analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 204
Rough contact mechanics
an analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 204
Rough surface
the fractal character of processed metal surfaces, 17

Scoring
laboratory tests for seizure of rail and wheel steels, 91
Seizure
laboratory tests for seizure of rail and wheel steels, 91
Sheared edges
studies on the wear conditions and the sheared edges in punching, 81

Side wear
laboratory tests for seizure of rail and wheel steels, 91
Sliding contact
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237
Sliding contact joint
the effect of an external electric field on the operation of an aluminium oxide–cast iron sliding contact joint, 113
a phenomenon of triboelectrization in aluminium oxide–polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Spade drilling
wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 73
Spectral analysis of rough surfaces
an analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 204
Spherical roller thrust bearing
characterisation of wear in boundary lubricated spherical roller thrust bearings, 194
Stainless martensitic cast steel
boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behaviour, 125
Steel
a mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 50
characterisation of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 169
Structure function
the fractal character of processed metal surfaces, 17
Subsurface cracks
finite element analysis of horizontal and branched subsurface cracks in brittle materials, 237
Synthetic cutting fluid
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11

Temperature
laboratory wear testing of polyurethane elastomers, 155
Thermal shock resistance
failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 220
Thin layer activation
characterisation of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 169
Three-body
correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 147
Ti alloy
dry sliding wear mechanisms of the Ti6Al4V alloy, 105
Titanium carbonitride
correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 147
Titanium nitride coating
wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 36
Tool life
wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 73
Transition pressure
effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, 1
Triboelectrization phenomenon
a phenomenon of triboelectrization in aluminium oxide–polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, 118
Turning
wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 67
failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 220

Vibrorolling
basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 132

Water-soluble inorganic solids
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11
Wear
formation of an adherent layer on a cutting tool studied by micromachining and finite element analysis, 61
wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 67
correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 147
Al_2O_3–ZrO_2 debris life cycle during wear: effects of the third body on wear and friction, 161
characterisation of wear in boundary lubricated spherical roller thrust bearings, 194
failure mechanisms of plasma nitrided Inconel 718 film, 226
Wear analysis
an integrated system for automatic wear particle analysis, 184
Wear and friction
the role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 11
Wear behavior
wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 36
Wear behaviors
studies on the wear conditions and the sheared edges in punching, 81
Wear coefficient and reciprocating wear
a comparison of the reciprocating and continuous two-body abrasive wear behavior of solution-treated and age-hardened 2014 Al alloy, 25
Wear model
a mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 50
Wear particle deposition
fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, 42
Wear resistance
basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 132
Wear tests
laboratory wear testing of polyurethane elastomers, 155
Wheel
laboratory tests for seizure of rail and wheel steels, 91

Zinc di-alkyl-di-thiophosphates
an investigation into the molecular stability of zinc di-alkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 138